1									MISSIO	N DATA											
1. DAT	E (DD MMM	YYYY) 2	. MDS (E	xp: SMC 130	3. SERIAL#	(YY-TTTT)	4. U	NIT CH	ARGED	FOR FL	YING H	OURS	5. H	ARM LC	CATION						
/	JUA 20	0//	/C-25A		82-8000		89 A	W (AMC) AJXF				Joint	Base A	ndrews,	MD 2076	2				
FLT SEQ		SSION JMBER		MISSION SYMBOL	FROM (ICAO)	TO (ICAO)		KE OFF		ND E (Z)	TOTA	AL	14. ————————————————————————————————————	LANDI	NGS	SORTII		SPECIA USE	<i>س</i> [CONV Minutes	/ERSION Dur
6		7		8	9	10		11	-	12	13			FULL STOP	TOTAL	15		16		1 - 2	
a.	3	88584		S-1	KEWR	KADU	12	320	00	01	0,	7 [O	1	7	1		0.6	. 1	3 - 8 9 - 14	
b.																				15 - 20 21 - 26	
C.									┷								\perp			27 - 33	3 = .5
d.							\bot		1_			_					\perp			34 - 39 40 - 45	
е.							-		-			-					+		-	46 - 51	1 = .8
f.										\rightarrow		\dashv					+			52 - 57 58 - 60	7 = .9 0 = NEX
17. FL #	IGHT AUTH	17-0248	3	18. ISSUING	JNIT	PAG			RAND OTALS		0.	<u> </u>	0	1	ı	1		0.6			
11										W DAT	<u> </u>										
								T FI	IGHT TI	ME				_	FLIG	HT CON	DITIO	NS			ļ
FLYIN	S SSAN				FLIGHT AUTH						то	TALS	NIGHT	INS	SIM		col	МВАТ	نــــا	MBAT SPT	RESV
ORGI 19			LAST NA 21	ME	DUTY CODE 22	PRIM 23	SEC 24	INSTF 25	EVAL 26	OTHER 27	TIME 28	SRTY 29	(P/S/I/E) NVG 33	TIME 34	SRTY 35	TIM	SRTY 37	STATUS 38
8000	(b)	(b) (6)			MP	0.7					0.7	1		1.3	3		L			I	
8000	(6)				MP		0.7	<u> </u>	<u> </u>		0.7	1					L				
8000					FPQ	-		┞		0.7	0,7	!			┷	-	└ ─			—	<u> </u>
8000					MN	0.7		├	 		0.7	<u>'</u>		+	┿	-	⊢	_	<u> </u>	 	
8000	-				MF MF	0.7	0.7	├			0.7	 	+	+	+	┼─	├—		 	+	
8000 8000	-				MK	0.7	0.1	\vdash	+	 	0.7	+		+	+		╁┈		 	+	
8000					MK	0.7		\vdash		\vdash	0.7	 		+	+	+	┼─			+	
8000	-		-		MK	0.7		 			0.7	1		+	+-	1	 		\vdash	 	
8000					MK	0.7					0.7	ΙŤ		†	+				$\overline{}$		
8000					ET				0.7		0.7	1									
8000					IT			0.7			0.7	1									
8000					IT			0.7			0.7	1									
8000					MT	0.7					0,7	1									
8000					MT	0.7		<u> </u>		<u> </u>	0.7	<u> </u>		1		-		lacksquare	<u> </u>	\vdash	<u> </u>
8000					MT	0.7		 		ļ	0,7	<u> </u>		-		ـ	├	├ ──		+	
8000	4 10 177	Tao =	OT 551 "		FT 500	0.7	0 144) 	140	0.7	<u> </u>	1	<u> </u>	Д		L			<u></u>	<u> </u>
39. M	AINT	(b)	L		AC for each Fit Sec	snould initia	" [^{41.} [SARM (6)	KEVIEW		1770		RMS INPU	/[-1				ARMS			(b) (6)
43. E	TRACT CERT	I a.		C. d.	le. If.	cer, gov civ (when Pi	C), or HA	RM Chief				INITIAL:			DATE:				IITIALS: d out.	(-)(-)
Print N				,	Rank:		ch of S			DSN:		**	Signa								
AFT	O FORM 781,	2008091	1		PREVIOUS E	DITION IS	овѕо	LETE						AF	RMS AIR	CREW/N	IISSIO	N FLIGI	HT D/	ATA DOC	CUMENT

AUTHORITY: 10 U.S.C. 8012; 44 U.S.C. 3101; and EO 9397

PRINCIPAL PURPOSES: Source document for recording individual flying time for input into the Aviation Resource Management System (ARMS) and Integrated Maintenance Data System (IMDS).

ROUTINE USES: Validation of accomplishment of flying requirements needed to attain or maintain professional standards. Validation of hourly flying accomplishments where necessary to authorize payment of flying incentive pay. Provide basic record of each flight of USAF aircraft, reason for mission, duration, crew members and duty positions. Used as a source document for determining number of hours of operating time on airframes and power plants. The SSN is used for identification of individuals and records.

DISCLOSURE IS MANDATORY: Individuals must furnish the information to meet qualification and incentive pay standards. Failure to provide the information and SSN could result in loss of records with consequent loss of professional qualification and incentive pay entitlement.

II. (CON	TINUED)							AIRC	REW C	ATA							_		
				FLIGHT TIME									FLIGH	CON	NOITIC	J			
			1						TOTALS						COMBAT		COMBAT SPT		
FLYING ORGN 19	SSAN (LAST 4) 20	LAST NAME 21	FLIGHT AUTH DUTY CODE 22	PRIM 23	SEC 24	INSTR 25	EVAL 26	OTHER 27	TIME 28	SRTY 29	NIGHT (P/S/I/E) 30	INS (P/I/E) 31	SIM INS (P/VE) 32	NVG 33	TIME 34	SRTY 35	TIME 36	SRTY 37	RES\ STATU
3000	(b)	(b) (6)	FT	0.7					0.7	Ī									
	(6)		FT	0.7					0,7										
3000			FT	0.7					0.7	1									
										_									
					_		_	<u> </u>											
			<u> </u>	l —		 -	<u> </u>	 									<u> </u>	 -	₩
			-			_		_											\vdash
							<u> </u>			_									
_										-	 	 	-						├
					├	\vdash	\vdash	<u> </u>		\vdash									
					\vdash														\vdash
																			Ļ—
		,						 			<u> </u>	<u> </u>							├─
						-		 	\vdash	-									\vdash
			 	\vdash	 				_	\vdash									
			-																
																			

44. REMARKS OTHER THAN FLIGHT DISCREPANCIES

- (b) (6) PORFORMED EVAL OUTIES FOR (b) (6) WITTING MW QWAL CHRILL

(THIS FORM IS SUBJECTOR THE PREVENTED A CONTROL SHE TREVENSE)

<u>'</u>										N DATA											
1. DAT	E (DD MMM			Exp: SMC 130	E 3. SERIAL#((YY-TTTT)	4. U	NIT CHA	RGED	FOR FLY	ING H	DURS	5. H/	ARM LO	CATION						
09	ユバリ	2017	VC-25A		82-8000		89 A	W (AMC	AJXF				Joint	Base An	drews, f	AD 20762	2				
FLT SEQ		MISSION IUMBER		MISSION SYMBOL	FROM	TO		KE OFF ME (Z)		ND IE (Z)	TOTA TIME	L I	4.	LANDIN	IGS	SORTIE		SPECIA USE	.L	CONV Minutes	ERSION Dur
320	1	IOMBER		STMBOL	(ICAO)	(ICAO)	- "	WIE (2)	''''	(2)	IIIVIE			FULL		SORTE	."	USE			
6		7		8	9	10		11		12	13		& GO	STOP	TOTAL	15		16		1 - 2 3 - 8	
a.		38584		S-1	KADW	KEWR	20	<u> </u>	212	20	<u>Q, ~</u>	7	0					0.6		9 - 14	= .2
b.																				15 - 20 21 - 26	
C.							\bot					\perp							2	27 - 33	= .5
d.																	_			34 - 39 10 - 45	
е.						_											\bot		4	16 - 51	
f.												\rightarrow					+			52 - 57 58 - 60	' = .9) = NEXT
17. FL #	GHT AUTH	17-024	8	18. ISSUING	UNIT	PAG			RAND OTALS		0.	,	0	,	ı	1		0.6	-		- NEXT
[]									AIRCRI	EW DAT	Α										
		I				T		FL	IGHT T	IME					FLIG	HT CON	DITION	IS			
											тот	rals		T	SIM		CON	ИВАТ		MBAT SPT	
FLYING ORGN 19			LAST NA	AME	FLIGHT AUTH DUTY CODE 22	PRIM 23	SEC 24	INSTR 25	EVAL 26	OTHER	TIME 28	SRTY 29	NIGHT (P/S/I/E 30		INS (P/I/E) 32	NVG 33	TIME 34	SRTY 35	TIM	SRTY 37	RESV STATUS 38
8000	(b)	(b) (6)			MP	0,7					0.7	1		1.3	—		\vdash		7,7		7
8000	(6)				MP	1000				0.7	0.7	1		1							\Box
8000		ĺ			FPQ	1 1	0.7				0.7	1									7
8000		ĺ			MN	6.7					0.7	1									1
8000					MF		0.7				0.7										
8000					MF	0.7					0.7	-									1
8000					мк	0.7					οŢ										1
8000					MK	0.7					0.7	- 1			$oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{ol}}}}}}}}}}}}}}}}}$					$oxed{oxed}$	1
8000					MK	0.7					D.7				<u> </u>				<u> </u>	L	
8000		ļ .			MK	0.7					0.7			1				ш	<u> </u>	<u> </u>	1
8000	_				ET				0.7		0.7					<u> </u>		ш	igsqcup	ــــــ	1
8000	_	!			IT	+		0.7		ļ	0,7		_	┩—	-	ļ			<u> </u>	⊢—	
8000	-				IT	1		9.7	<u> </u>		0.7	_			-	-		igspace	<u> </u>	├──	1
8000	_	!			МТ	0.7					0.7	_	↓—		╄	↓	<u> </u>	\sqcup		├─	11
8000					MT	0.7			├—		0.7	1	-		 	\vdash	<u> </u>	igwdapprox igwedge	<u> </u>		├ ──1
8000	-				MT	0.7			<u> </u>		0.7	1	-	-	 	—	<u> </u>	igwdapprox	 	├—	├ ——1
8000					FT	0.7			<u> </u>	1	2.7	Щ	1					ليبا		<u></u>	LI
39. M	INT				AC for each Fit Seq	should initial) 41.	SARM F	EVIEW		12		MS INPU				7.7	ARMS			(b) (C)
(D)	(0)			I _{c.} I _{d.}	l _{e.} I _{f.}		_ــــ	(0)			2702		INITIAL	_		DATE/	7 71	2017		TIALS:	(b) (d)
43. EX Print N		IFICATION	(if required	1): I certify I am a	commissioned office Rank:	-	when Plo ch of St		KM Chie	f and this i DSN:	s a true c	opy of a	an AFTO Fo Signa		nd the ex	racted nar	nes hav	e deen c	rossed	out.	
L	EODM 701				DDEVIOUS E			- ETC							MAG AIR	CREWIN	110010	V EL ICI	UT DA	TA DO	·····

AUTHORITY: 10 U.S.C. 8012; 44 U.S.C. 3101; and EO 9397

PRINCIPAL PURPOSES: Source document for recording individual flying time for input into the Aviation Resource Management System (ARMS) and Integrated Maintenance Data System (IMDS).

ROUTINE USES: Validation of accomplishment of flying requirements needed to attain or maintain professional standards. Validation of hourly flying accomplishments where necessary to authorize payment of flying incentive pay. Provide basic record of each flight of USAF aircraft, reason for mission, duration, crew members and duty positions. Used as a source document for determining number of hours of operating time on airframes and power plants. The SSN is used for identification of individuals and records.

DISCLOSURE IS MANDATORY: Individuals must furnish the information to meet qualification and incentive pay standards. Failure to provide the information and SSN could result in loss of records with consequent loss of professional qualification and incentive pay entitlement.

- 1						FLI	GHT TI	ME			FLIGHT CONDITIONS								
									TOTALS						COMBAT		COMBAT SPT		1
LYING ORGN 19	SSAN (LAST 4) 20	LAST NAME 21	FLIGHT AUTH DUTY CODE 22	PRIM 23	SEC 24	INSTR 25	EVAL 26	OTHER 27	TIME 28	SRTY 29	NIGHT (P/S/I/E) 30	INS (P/I/E) 31	SIM INS (P/I/E) 32	NVG 33	TIME 34	SRTY 35	TIME 36	SRTY 37	RES STATI
000	(b)	(b) (6)	FT	0.7					0.7	1									
000	(6)		FT	0.7					0.7	1									
)00			FT	0.7					9.7	1									Щ
\dashv									<u> </u>					<u> </u>		<u> </u>		ļ	├
									 	 		<u> </u>		_		 		<u> </u>	\vdash
-									\vdash	\vdash	 	 		\vdash		\vdash			
									 										
									<u> </u>						<u> </u>			<u> </u>	-
				<u> </u>	├				├			<u> </u>		├─-	├─	 		 	\vdash
				 					 	<u> </u>					\vdash				\vdash
									<u> </u>										├
				<u> </u>	_				<u> </u>			├──		<u> </u>	\vdash				\vdash
\dashv			+	 	├─				 			\vdash	 	\vdash			_	_	\vdash
				 		-					<u> </u>					\vdash			
\neg																			
												<u> </u>	l	<u></u>					<u> </u>