



Final Report

Subject Details		Ordering Professional	Request ID	R-062118-00066
Gender	F	1820 - Advanced Bio	Received	06/21/2018 10:35
Donor Type	Living	1516 Oak Street Suite 303	Reported	06/22/2018 02:40
Donor ID	2424	Alameda, CA 94501	Priority	No
NOTE: All times stated in 24hr Mountain Time unless otherwise noted.				

Results

Test	Methodology	Completed	Results	Ref. Range
Hepatitis B Surface Ag	EIA	06/22/2018	Non Reactive	Non Reactive
Hepatitis C Virus Ab	ELISA	06/22/2018	Non Reactive	Non Reactive
HIV-1/HIV-2 Plus O	EIA	06/22/2018	Non Reactive	Non Reactive

Sample Reference(s)

Collection Time Zone: Pacific Standard Time

LABS Sample ID	Client Sample ID	Type	Collected
S-062118-00399		Serum - Red Top	06/20/2018 12:00

Test Reference(s)

Code	Name	Methodology Description
3214	Hepatitis B Surface Ag	BioRad Genetic Systems HBsAg EIA 3.0 is FDA approved for living and cadaveric donor screening.
3221	Hepatitis C Virus Ab	ORTHO HCV Version 3.0 ELISA is FDA approved for living and cadaveric donor screening.
3521	HIV-1/HIV-2 Plus O	BioRad GS HIV-1/HIV-2 Plus O EIA is FDA approved for living and cadaveric donor screening. This is a screening assay; it is neither a diagnostic assay nor a confirmatory test for the presence of HIV.



Final Report

Subject Details		Ordering Professional	Request ID	R-051118-00126
Gender	F	1820 - Advanced Bio	Received	05/11/2018 11:47
Donor Type	Living	1516 Oak Street Suite 303	Reported	05/11/2018 23:04
Donor ID	6203	Alameda, CA 94501	Priority	No

NOTE: All times stated in 24hr Mountain Time unless otherwise noted.

Results

Test	Methodology	Completed	Results	Ref. Range
Hepatitis B Surface Ag	EIA	05/11/2018	Non Reactive	Non Reactive
Hepatitis C Virus Ab	ELISA	05/11/2018	Non Reactive	Non Reactive
HIV-1/HIV-2 Plus O	EIA	05/11/2018	Non Reactive	Non Reactive

Sample Reference(s)

Collection Time Zone: Eastern Standard Time

LABS Sample ID	Client Sample ID	Type	Collected
S-051118-00740		Serum - Red Top	05/10/2018 12:30

Test Reference(s)

Code	Name	Methodology Description
3214	Hepatitis B Surface Ag	BioRad Genetic Systems HBsAg EIA 3.0 is FDA approved for living and cadaveric donor screening.
3221	Hepatitis C Virus Ab	ORTHO HCV Version 3.0 ELISA is FDA approved for living and cadaveric donor screening.
3521	HIV-1/HIV-2 Plus O	BioRad GS HIV-1/HIV-2 Plus O EIA is FDA approved for living and cadaveric donor screening. This is a screening assay; it is neither a diagnostic assay nor a confirmatory test for the presence of HIV.